AUTHOR INDEX

Bohl, E., see Kreikenbohm, R. and Bohl, E.	
Caswell, H. (Woods Hole, MA, U.S.A.)	
Theory and models in ecology: a different perspective	33
DeAngelis, D.L. (Oak Ridge, TN, U.S.A.)	
Strategies and difficulties of applying models to aquatic populations and food webs	57
Fahrig, L. (Charlotteville, VA, U.S.A.)	
Nature of ecological theories (comments)	129
Grant, W.E. (College Station, TX, U.S.A.)	
Book review of Ecology of Biological Invasions of North America and Hawaii, by	
H.A. Mooney and J.A. Drake (Editors)	315
see also Rykiel, E.J., Jr. and Grant, W.E.	
Grant, W.E., Matis, J.H. and Miller, W. (College Station, TX, U.S.A)	
Forecasting commercial harvest of marine shrimp using a Markov chain model	183
Graser, D.J., see Kot, M. et al.	
Hall, C.A.S. (Syracuse, NY and Polson, MT, U.S.A.)	
An assessment of several of the historically most influential theoretical models used	
in ecology and of the data provided in their support	5
What consitutes a good model and by whose criteria? (summary of discussion)	125
Herendeen, R.A. (Champaign, IL, U.S.A.)	
Role of models in ecology (comments)	133
Kot, M. (Knoxville, TN, U.S.A.), Schaffer, W.M., Truty, G.L., Graser, D.J. (Tucson,	
AZ, U.S.A.) and Olsen, L.F. (Odense, Denmark)	
Changing criteria for imposing order	75
Kreikenbohm, R. and Bohl, E. (Konstanz, Federal Republic of Germany)	
Bistability in the chemostat	287
Legović, T., see Oliver, J.D. and Legović, T.	
Longstaff, B.C. (Canberra, A.C.T., Australia)	
Temperature manipulation and the management of insecticide resistance in stored	
grain pests: a simulation study for the rice weevil, Sitophilus oryzae	303
Matis, J.H., see Grant, W.E. et al.	
Miller, W., see Grant, W.E. et al.	
Murtaugh, P.A. (Seattle, WA, U.S.A.)	
Use of logistic regression in modelling prey selection by Neomysis mercedis	225
Oliver, J.D. and Legović, T. (Athens, GA, U.S.A.)	
Okefenokee marshland before, during and after nutrient enrichment by a bird	
rookery	195
Olsen, L.F., see Kot, M. et al.	
Onstad, D.W. (Champaign, IL, U.S.A.)	
Population-dynamics theory: the roles of analytical, simulation, and supercomputer	
models	111
Riley, M.J. and Stefan, H.G. (Minneapolis, MN, U.S.A.)	
MINLAKE: a dynamic lake water quality simulation model	155

Rykiel, E.J., Jr. and Grant, W.E. (College Station, TX, U.S.A.) Foreword special issue ISEM North American Chapter	3
Schaffer, W.M., see Kot, M. et al.	
Seno, H. (Kyoto, Japan)	
Effect of a singular patch on population persistence in a multi-patch system	271
Stefan, H.G., see Riley, M.J. and Stefan, H.G.	
Sullivan, P.J. (Seattle, WA, U.S.A.)	
Effect of boundary conditions, region length, and diffusion rates on a spatially	
heterogeneous predator-prey system	235
Truty, G.L., see Kot, M. et al.	
Ulanowicz, R.E. (Solomons, MD, U.S.A.)	
On the importance of higher-level models in ecology	45
Varis, O. (Espoo, Finland)	
Temporal sensitivity of Aphanizomenon flos-aquae dominance - a whole-lake simu-	
lation study with input perturbations	137
Vlad, M.O. (Bucharest, Romania)	
A new nonlinear model for the growth of age-structured populations living in	
patchy habitats	251
Wellings, P.W. (Canberra, A.C.T., Australia)	
Book review of Pest Control: Operations and Systems Analysis in Fruit Fly Manage-	
ment, by M. Mangel, J.R. Carey and R.E. Plant (Editors)	317





CONTENTS OF ECOLOGICAL MODELLING, VOL. 43

VOL. 43 NOS. 1/2

OCTOBER 1988

Special Issue

ISEM NORTH AMERICAN CHAPTER

Edited by E.J. Rykiel, Jr. and W.E. Grant

Foreword	
E.J. Rykiel, Jr. and W.E. Grant (College Station, TX, U.S.A.)	3
An assessment of several of the historically most influential theoretical models used in ecology and of the data provided in their support	
C.A.S. Hall (Syracuse, NY and Polson, MT, U.S.A.) Theory and models in ecology: a different perspective	5
H. Caswell (Woods Hole, MA, U.S.A.)	33
On the importance of higher-level models in ecology R.E. Ulanowicz (Solomons, MD, U.S.A.)	45
Strategies and difficulties of applying models to aquatic populations and food webs D.L. DeAngelis (Oak Ridge, TN, U.S.A.)	57
Changing criteria for imposing order M. Kot (Knoxville, TN, U.S.A.), W.M. Schaffer, G.L. Truty, D.J. Graser (Tucson,	
AZ, U.S.A.) and L.F. Olsen (Odense, Denmark) Population-dynamics theory: the roles of analytical, simulation, and supercomputer	75
models	
D.W. Onstad (Champaign, IL, U.S.A.)	111
Summary of Discussion	
What constitutes a good model and by whose criteria?	
C.A.S. Hall (Syracuse, NY and Polson, MT, U.S.A.)	125
Comments	
Nature of ecological theories	
L. Fahrig (Charlottesville, VA, U.S.A.) Role of models in ecology	129
R.A. Herendeen (Champaign, IL, U.S.A.)	133
Vol. 43 NOS. 3/4 NOVEMBER	1988
Temporal sensitivity of <i>Aphanizomenon flos-aquae</i> dominance – la whole-lake simulation study with input perturbations	
O. Varis (Espoo, Finland)	137
M.J. Riley and H.G. Stefan (Minneapolis, MN, U.S.A.) Forecasting commercial harvest of marine shrimp using a Markov chain model	155
W.E. Grant, J.H. Matis and W. Miller (College Station, TX, U.S.A.)	183

Okefenokee marshland before, during and after nutrient enrichment by a bird rookery	
J.D. Oliver and T. Legović (Athens, GA, U.S.A.)	195
Use of logistic regression in modelling prey selection by Neomysis mercedis	
P.A. Murtaugh (Seattle, WA, U.S.A.)	225
Effect of boundary conditions, region length, and diffusion rates on a spatially heterogeneous predator-prey system	
P.J. Sullivan (Seattle, WA, U.S.A.)	235
A new nonlinear model for the growth of age-structured populations living in patchy habitats	
M.O. Vlad (Bucharest, Romania)	251
Effect of a singular patch on population persistence in a multi-patch system	
H. Seno (Kyoto, Japan)	271
Bistability in the chemostat	
R. Kreikenbohm and E. Bohl (Konstanz, Federal Republic of Germany)	287
Temperature manipulation and the management of insecticide resistance in stored grain pests: a simulation study for the rice weevil, Sitophilus oryzae	
B.C. Longstaff (Canberra, A.C.T., Australia)	303
Book reviews	
Biological invasion of North America and Hawaii	315
Fruit fly management	317
Author Index	321

